


Oscor's Angios® line of diagnostic catheters features a proprietary HD Braid reinforced shaft which allows for smooth advancement. At the same time, the sheath maintains its curve, allows for a high flow rate of contrast media injection, and has a soft radiopaque catheter tip to minimize vessel trauma. Oscor's Angios® diagnostic catheters are available in a variety of curves, sizes and lengths. One single catheter provided per box. *Maximum Recommended Guidewire 0.038"*

Model / Catalog #	French Size OD	Curve	Inner Lumen ID	Length	JUDKINS RIGHT
ANG1-0037	4 F	JR 3.0	0.042"/1.07 mm	100 cm	
ANG1-0038	4 F	JR 3.0	0.042"/1.07 mm	110 cm	
ANG1-0039	4 F	JR 3.0	0.042"/1.07 mm	120 cm	
ANG1-0046	4 F	JR 3.5	0.042"/1.07 mm	100 cm	
ANG1-0047	4 F	JR 3.5	0.042"/1.07 mm	110 cm	
ANG1-0048	4 F	JR 3.5	0.042"/1.07 mm	120 cm	
ANG1-0055	4 F	JR 4.0	0.042"/1.07 mm	100 cm	
ANG1-0056	4 F	JR 4.0	0.042"/1.07 mm	110 cm	
ANG1-0057	4 F	JR 4.0	0.042"/1.07 mm	120 cm	
ANG1-0064	4 F	JR 4.5	0.042"/1.07 mm	100 cm	
ANG1-0065	4 F	JR 4.5	0.042"/1.07 mm	110 cm	
ANG1-0066	4 F	JR 4.5	0.042"/1.07 mm	120 cm	
ANG1-0073	4 F	JR 5.0	0.042"/1.07 mm	100 cm	
ANG1-0074	4 F	JR 5.0	0.042"/1.07 mm	110 cm	
ANG1-0075	4 F	JR 5.0	0.042"/1.07 mm	120 cm	
ANG1-0082	4 F	JR 6.0	0.042"/1.07 mm	100 cm	
ANG1-0083	4 F	JR 6.0	0.042"/1.07 mm	110 cm	
ANG1-0084	4 F	JR 6.0	0.042"/1.07 mm	120 cm	
ANG1-0040	5 F	JR 3.0	0.052"/1.32 mm	100 cm	
ANG1-0041	5 F	JR 3.0	0.052"/1.32 mm	110 cm	
ANG1-0042	5 F	JR 3.0	0.052"/1.32 mm	120 cm	
ANG1-0049	5 F	JR 3.5	0.052"/1.32 mm	100 cm	
ANG1-0050	5 F	JR 3.5	0.052"/1.32 mm	110 cm	
ANG1-0051	5 F	JR 3.5	0.052"/1.32 mm	120 cm	
ANG1-0058	5 F	JR 4.0	0.052"/1.32 mm	100 cm	
ANG1-0059	5 F	JR 4.0	0.052"/1.32 mm	110 cm	
ANG1-0060	5 F	JR 4.0	0.052"/1.32 mm	120 cm	
ANG1-0067	5 F	JR 4.5	0.052"/1.32 mm	100 cm	
ANG1-0068	5 F	JR 4.5	0.052"/1.32 mm	110 cm	
ANG1-0069	5 F	JR 4.5	0.052"/1.32 mm	120 cm	
ANG1-0076	5 F	JR 5.0	0.052"/1.32 mm	100 cm	
ANG1-0077	5 F	JR 5.0	0.052"/1.32 mm	110 cm	
ANG1-0078	5 F	JR 5.0	0.052"/1.32 mm	120 cm	
ANG1-0085	5 F	JR 6.0	0.052"/1.32 mm	100 cm	
ANG1-0086	5 F	JR 6.0	0.052"/1.32 mm	110 cm	
ANG1-0087	5 F	JR 6.0	0.052"/1.32 mm	120 cm	
ANG1-0043	6 F	JR 3.0	0.058"/1.47 mm	100 cm	
ANG1-0044	6 F	JR 3.0	0.058"/1.47 mm	110 cm	
ANG1-0045	6 F	JR 3.0	0.058"/1.47 mm	120 cm	
ANG1-0052	6 F	JR 3.5	0.058"/1.47 mm	100 cm	
ANG1-0053	6 F	JR 3.5	0.058"/1.47 mm	110 cm	
ANG1-0054	6 F	JR 3.5	0.058"/1.47 mm	120 cm	
ANG1-0061	6 F	JR 4.0	0.058"/1.47 mm	100 cm	
ANG1-0062	6 F	JR 4.0	0.058"/1.47 mm	110 cm	
ANG1-0063	6 F	JR 4.0	0.058"/1.47 mm	120 cm	
ANG1-0070	6 F	JR 4.5	0.058"/1.47 mm	100 cm	
ANG1-0071	6 F	JR 4.5	0.058"/1.47 mm	110 cm	
ANG1-0072	6 F	JR 4.5	0.058"/1.47 mm	120 cm	
ANG1-0079	6 F	JR 5.0	0.058"/1.47 mm	100 cm	
ANG1-0080	6 F	JR 5.0	0.058"/1.47 mm	110 cm	
ANG1-0081	6 F	JR 5.0	0.058"/1.47 mm	120 cm	
ANG1-0088	6 F	JR 6.0	0.058"/1.47 mm	100 cm	
ANG1-0089	6 F	JR 6.0	0.058"/1.47 mm	110 cm	
ANG1-0090	6 F	JR 6.0	0.058"/1.47 mm	120 cm	

JUDKINS RIGHT



Catheter supplied sterile. For single use only. Standard lengths are noted above. Other lengths available upon request.

Oscor's Angios® line of diagnostic catheters features a proprietary HD Braid reinforced shaft which allows for smooth advancement. At the same time, the sheath maintains its curve, allows for a high flow rate of contrast media injection, and has a soft radiopaque catheter tip to minimize vessel trauma. Oscor's Angios® diagnostic catheters are available in a variety of curves, sizes and lengths. One single catheter provided per box. *Maximum Recommended Guidewire 0.038"*

						JUDKINS LEFT	
Model / Catalog #	French Size OD	Curve	Inner Lumen ID	Length			
ANG1-0237	4 F	JL 3.0	0.042"/1.07 mm	100 cm			
ANG1-0238	4 F	JL 3.0	0.042"/1.07 mm	110 cm			
ANG1-0239	4 F	JL 3.0	0.042"/1.07 mm	120 cm			
ANG1-0246	4 F	JL 3.5	0.042"/1.07 mm	100 cm			
ANG1-0247	4 F	JL 3.5	0.042"/1.07 mm	110 cm			
ANG1-0248	4 F	JL 3.5	0.042"/1.07 mm	120 cm			
ANG1-0255	4 F	JL 4.0	0.042"/1.07 mm	100 cm			
ANG1-0256	4 F	JL 4.0	0.042"/1.07 mm	110 cm			
ANG1-0257	4 F	JL 4.0	0.042"/1.07 mm	120 cm			
ANG1-0264	4 F	JL 4.5	0.042"/1.07 mm	100 cm			
ANG1-0265	4 F	JL 4.5	0.042"/1.07 mm	110 cm			
ANG1-0266	4 F	JL 4.5	0.042"/1.07 mm	120 cm			
ANG1-0273	4 F	JL 5.0	0.042"/1.07 mm	100 cm			
ANG1-0274	4 F	JL 5.0	0.042"/1.07 mm	110 cm			
ANG1-0275	4 F	JL 5.0	0.042"/1.07 mm	120 cm			
ANG1-0282	4 F	JL 6.0	0.042"/1.07 mm	100 cm			
ANG1-0283	4 F	JL 6.0	0.042"/1.07 mm	110 cm			
ANG1-0284	4 F	JL 6.0	0.042"/1.07 mm	120 cm			
ANG1-0240	5 F	JL 3.0	0.052"/1.32 mm	100 cm			
ANG1-0241	5 F	JL 3.0	0.052"/1.32 mm	110 cm			
ANG1-0242	5 F	JL 3.0	0.052"/1.32 mm	120 cm			
ANG1-0249	5 F	JL 3.5	0.052"/1.32 mm	100 cm			
ANG1-0250	5 F	JL 3.5	0.052"/1.32 mm	110 cm			
ANG1-0251	5 F	JL 3.5	0.052"/1.32 mm	120 cm			
ANG1-0258	5 F	JL 4.0	0.052"/1.32 mm	100 cm			
ANG1-0259	5 F	JL 4.0	0.052"/1.32 mm	110 cm			
ANG1-0260	5 F	JL 4.0	0.052"/1.32 mm	120 cm			
ANG1-0267	5 F	JL 4.5	0.052"/1.32 mm	100 cm			
ANG1-0268	5 F	JL 4.5	0.052"/1.32 mm	110 cm			
ANG1-0269	5 F	JL 4.5	0.052"/1.32 mm	120 cm			
ANG1-0276	5 F	JL 5.0	0.052"/1.32 mm	100 cm			
ANG1-0277	5 F	JL 5.0	0.052"/1.32 mm	110 cm			
ANG1-0278	5 F	JL 5.0	0.052"/1.32 mm	120 cm			
ANG1-0285	5 F	JL 6.0	0.052"/1.32 mm	100 cm			
ANG1-0286	5 F	JL 6.0	0.052"/1.32 mm	110 cm			
ANG1-0287	5 F	JL 6.0	0.052"/1.32 mm	120 cm			
ANG1-0243	6 F	JL 3.0	0.058"/1.47 mm	100 cm			
ANG1-0244	6 F	JL 3.0	0.058"/1.47 mm	110 cm			
ANG1-0245	6 F	JL 3.0	0.058"/1.47 mm	120 cm			
ANG1-0252	6 F	JL 3.5	0.058"/1.47 mm	100 cm			
ANG1-0253	6 F	JL 3.5	0.058"/1.47 mm	110 cm			
ANG1-0254	6 F	JL 3.5	0.058"/1.47 mm	120 cm			
ANG1-0261	6 F	JL 4.0	0.058"/1.47 mm	100 cm			
ANG1-0262	6 F	JL 4.0	0.058"/1.47 mm	110 cm			
ANG1-0263	6 F	JL 4.0	0.058"/1.47 mm	120 cm			
ANG1-0270	6 F	JL 4.5	0.058"/1.47 mm	100 cm			
ANG1-0271	6 F	JL 4.5	0.058"/1.47 mm	110 cm			
ANG1-0272	6 F	JL 4.5	0.058"/1.47 mm	120 cm			
ANG1-0279	6 F	JL 5.0	0.058"/1.47 mm	100 cm			
ANG1-0280	6 F	JL 5.0	0.058"/1.47 mm	110 cm			
ANG1-0281	6 F	JL 5.0	0.058"/1.47 mm	120 cm			
ANG1-0288	6 F	JL 6.0	0.058"/1.47 mm	100 cm			
ANG1-0289	6 F	JL 6.0	0.058"/1.47 mm	110 cm			
ANG1-0290	6 F	JL 6.0	0.058"/1.47 mm	120 cm			

JUDKINS LEFT




PSI 1200 psi

100-120 cm

Catheter supplied sterile. For single use only. Standard lengths are noted above. Other lengths available upon request.

Oscor's Angios® line of diagnostic catheters features a proprietary HD Braid reinforced shaft which allows for smooth advancement. At the same time, the sheath maintains its curve, allows for a high flow rate of contrast media injection, and has a soft radiopaque catheter tip to minimize vessel trauma. Oscor's Angios® diagnostic catheters are available in a variety of curves, sizes and lengths. One single catheter provided per box. *Maximum Recommended Guidewire 0.038"*

						PIGTAILS	
	Model / Catalog #	French Size OD	Curve	Inner Lumen ID	Length		
STRAIGHT PIGTAIL	ANG1-0491	4 F	Straight Pigtail with 5 side holes	0.042"/1.07 mm	65 cm		
	ANG1-0492	4 F	Straight Pigtail with 5 side holes	0.042"/1.07 mm	80 cm		
	ANG1-0493	4 F	Straight Pigtail with 5 side holes	0.042"/1.07 mm	90 cm		
	ANG1-0494	4 F	Straight Pigtail with 5 side holes	0.042"/1.07 mm	110 cm		
	ANG1-0495	4 F	Straight Pigtail with 5 side holes	0.042"/1.07 mm	120 cm		
	ANG1-0496	5 F	Straight Pigtail with 5 side holes	0.052"/1.32 mm	65 cm		
	ANG1-0497	5 F	Straight Pigtail with 5 side holes	0.052"/1.32 mm	80 cm		
	ANG1-0498	5 F	Straight Pigtail with 5 side holes	0.052"/1.32 mm	90 cm		
	ANG1-0499	5 F	Straight Pigtail with 5 side holes	0.052"/1.32 mm	110 cm		
	ANG1-0500	5 F	Straight Pigtail with 5 side holes	0.052"/1.32 mm	120 cm		
	ANG1-0501	6F	Straight Pigtail with 5 side holes	0.058"/1.47 mm	65 cm		
	ANG1-0502	6F	Straight Pigtail with 5 side holes	0.058"/1.47 mm	80 cm		
	ANG1-0503	6F	Straight Pigtail with 5 side holes	0.058"/1.47 mm	90 cm		
	ANG1-0504	6F	Straight Pigtail with 5 side holes	0.058"/1.47 mm	110 cm		
	ANG1-0505	6F	Straight Pigtail with 5 side holes	0.058"/1.47 mm	120 cm		
PIGTAIL 145°	ANG1-0791	4 F	Pigtail 145° with 5 side holes	0.042"/1.07 mm	65 cm		
	ANG1-0792	4 F	Pigtail 145° with 5 side holes	0.042"/1.07 mm	80 cm		
	ANG1-0793	4 F	Pigtail 145° with 5 side holes	0.042"/1.07 mm	90 cm		
	ANG1-0794	4 F	Pigtail 145° with 5 side holes	0.042"/1.07 mm	110 cm		
	ANG1-0795	4 F	Pigtail 145° with 5 side holes	0.042"/1.07 mm	120 cm		
	ANG1-0796	5 F	Pigtail 145° with 5 side holes	0.052"/1.32 mm	65 cm		
	ANG1-0797	5 F	Pigtail 145° with 5 side holes	0.052"/1.32 mm	80 cm		
	ANG1-0798	5 F	Pigtail 145° with 5 side holes	0.052"/1.32 mm	90 cm		
	ANG1-0799	5 F	Pigtail 145° with 5 side holes	0.052"/1.32 mm	110 cm		
	ANG1-0800	5 F	Pigtail 145° with 5 side holes	0.052"/1.32 mm	120 cm		
	ANG1-0801	6F	Pigtail 145° with 5 side holes	0.058"/1.47 mm	65 cm		
	ANG1-0802	6F	Pigtail 145° with 5 side holes	0.058"/1.47 mm	80 cm		
	ANG1-0803	6F	Pigtail 145° with 5 side holes	0.058"/1.47 mm	90 cm		
	ANG1-0804	6F	Pigtail 145° with 5 side holes	0.058"/1.47 mm	110 cm		
	ANG1-0805	6F	Pigtail 145° with 5 side holes	0.058"/1.47 mm	120 cm		



Catheter supplied sterile. For single use only. Standard lengths are noted above. Other lengths available upon request.